

L Number	Hits	Search Text	DB	Time stamp
-	68	becwulf	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 09:17
-	19401	failover or scalable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:23
-	18	(failover or scalable) and beowulf	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:36
-	150	cluster with failover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:36
-	4	cluster with failover and beowulf	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:37
-	3	cluster with failover with scalability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:37
-	6088	high\$2 adj availab\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 09:18
-	204	((717/106).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:48
-	1	(high\$2 adj availab\$5) and ((717/106).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:11
-	2	((717/106).CCLS.) and (configuration near3 editor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:13
-	5	((717/106).CCLS.) and (configuration near3 generate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:14
-	269	717/110-113.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:14
-	367	configuration near3 editor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:26
-	7	717/110-113.ccls. and (configuration near3 editor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:18

-	2	(high\$2 adj availab\$5) and 717/110-113.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:18
-	43	configuration near3 file near3 editor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:43
-	85797	cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:43
-	3332	cluster near4 specif\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:44
-	5178	cluster near4 (specif\$7 or configur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:44
-	3434	cluster near2 (specif\$7 or configur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:44
-	50	(cluster near2 (specif\$7 or configur\$5)) near20 ((high\$2 adj availab\$5) or (scalab\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:11
-	965	714/4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:11
-	143	(high\$2 adj availab\$5) and 714/4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:11
-	70	cluster and ((high\$2 adj availab\$5) and 714/4.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:11
-	66	(cluster and ((high\$2 adj availab\$5) and 714/4.ccls.)) and configur\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:38
-	893066	script generator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:38
-	132	"script generator"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:38
-	5	"script generator" and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:39

-	5	717.clas. and "script generator"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/31 14:39
-	701	(717/106-109).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/31 14:48
-	24	cluster and ((717/106-109).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/31 15:08
-	952	automatic\$4 near3 script	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/31 15:08
-	7	(automatic\$4 near3 script) and ((717/106-109).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/31 15:08


IEEE Xplore®
RELEASE 1.6

 Welcome
United States Patent and Trademark Office

IEEE Xplore®
1 Million Documents
1 Million Users
And Growing
» Search Results

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **364** of **1015452** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

16 High-availability transaction processing: practical experience in availability modeling and analysis

Bowles, J.B.; Dobbins, J.G.;

Reliability and Maintainability Symposium, 1998. Proceedings., Annual , 19-22 Jan. 1998

Pages:268 - 273

[\[Abstract\]](#) [\[PDF Full-Text \(584 KB\)\]](#) IEEE CNF

17 LH*s: a high-availability and high-security scalable distributed data structure

Litwin, W.; Neimat, M.-A.; Lev, G.; Ndiaye, S.; Seck, T.;

Research Issues in Data Engineering, 1997. Proceedings. Seventh International Workshop on , 7-8 April 1997

Pages:141 - 150

[\[Abstract\]](#) [\[PDF Full-Text \(980 KB\)\]](#) IEEE CNF

18 Turbo-alternators: a high-availability backup source of energy

Chigolet, J.C.; Huet, S.;

Telecommunications Energy Conference, 1993. INTELEC '93. 15th International , Volume: 1 , 27-30 Sept. 1993

Pages:298 - 302 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(260 KB\)\]](#) IEEE CNF

19 High availability is not enough [distributed systems]

Triantafillou, P.;

Management of Replicated Data, 1992., Second Workshop on the , 12-13 Nov. 1992

Pages:40 - 43

[\[Abstract\]](#) [\[PDF Full-Text \(372 KB\)\]](#) IEEE CNF



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

THE GUIDE TO COMPUTING LITERATURE

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used high availability

Found 1,093 of 796,098

Sort results by

☒ Save results to a Binder

[Try an Advanced Search](#)

Display results

☒ Search Tips

[Try this search in The Digital Library](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 LH*RS: a high-availability scalable distributed data structure using Reed Solomon

Codes

Witold Litwin, Thomas Schwarz

 May 2000 **ACM SIGMOD Record , Proceedings of the 2000 ACM SIGMOD international conference on Management of data**, Volume 29 Issue 2

 Full text available: [pdf\(155.52 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

LH*RS is a new high-availability Scalable Distributed Data Structure (SDDS). The data storage scheme and the search performance of LH*RS are basically these of LH*. LH*RS manages in addition the parity information to tolerate the unavailability of $k + 1$ server sites. The value of k scales with the file, to prevent the reliability decline. The parity calculus uses the Reed-Solomon Codes. The storage and access performance over ...

Keywords: Reed-Solomon Codes, SDDS, high-availability, scalable

2 Providing high availability using lazy replication

Rivka Ladin, Barbara Liskov, Liuba Shrira, Sanjay Ghemawat

 November 1992 **ACM Transactions on Computer Systems (TOCS)**, Volume 10 Issue 4

 Full text available: [pdf\(2.46 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

To provide high availability for services such as mail or bulletin boards, data must be replicated. One way to guarantee consistency of replicated data is to force service operations to occur in the same order at all sites, but this approach is expensive. For some applications a weaker causal operation order can preserve consistency while providing better performance. This paper describes a new way of implementing causal operations. Our technique also supports two other kinds of operations: ...

Keywords: client/server architecture, fault tolerance, group communication, high availability, operation ordering, replication, scalability, semantics of application

3 High availability path design in ring-based optimal networks

Wayne D. Grover

 August 1999 **IEEE/ACM Transactions on Networking (TON)**, Volume 7 Issue 4

 Full text available: [pdf\(308.91 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

4 High Availability Cluster Checklist



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

+"high availability" +scalability services

SEARCH

THE GUIDE TO COMPUTING LITERATURE


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used high availability scalability services

Found 279 of 796,098

Sort results by

relevance

[Save results to a Binder](#)Try an [Advanced Search](#)

Display results

expanded form

[Search Tips](#)Try this search in [The Digital Library](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐1 Cluster-based scalable network services

Armando Fox, Steven D. Gribble, Yatin Chawathe, Eric A. Brewer, Paul Gauthier

October 1997 **ACM SIGOPS Operating Systems Review , Proceedings of the sixteenth ACM symposium on Operating systems principles**, Volume 31 Issue 5Full text available: [pdf\(2.42 MB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)2 Optimizing data aggregation for cluster-based internet services

Lingkun Chu, Hong Tang, Tao Yang, Kai Shen

June 2003 **ACM SIGPLAN Notices , Proceedings of the ninth ACM SIGPLAN symposium on Principles and practice of parallel programming**, Volume 38 Issue 10Full text available: [pdf\(275.38 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Large-scale cluster-based Internet services often host partitioned datasets to provide incremental scalability. The aggregation of results produced from multiple partitions is a fundamental building block for the delivery of these services. This paper presents the design and implementation of a programming primitive -- Data Aggregation Call (DAC) -- to exploit partition parallelism for cluster-based Internet services. A DAC request specifies a local processing operator and a global reduction operation ...

Keywords: cluster-based network services, fault tolerance, load-adaptive tree formation, response time, scalable data aggregation, throughput

3 The AROUND architecture for dynamic location-based services

Rui José, Adriano Moreira, Helena Rodrigues, Nigel Davies

August 2003 **Mobile Networks and Applications**, Volume 8 Issue 4Full text available: [pdf\(194.30 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a generic concept of location-based service as an abstraction for supporting the association between computational resources and location. The objective is to extend the advantages of service-based architectures to the development of location-based systems, thus providing a more open and extensible alternative to the "vertical" approaches typically used in this type of system. The novel AROUND architecture is proposed as an approach for supporting location-based services in t ...

Keywords: info-mobility, location-based services, mobile computing, service discovery

4 A distributed persistent object store for scalable service



IEEE Xplore®

RELEASE 1.6

Welcome
United States Patent and Trademark Office

IEEE Xplore®
1 Million Documents
1 Million Users
And Growing
» Search Results

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **364** of **1015452** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Experiences with two high availability designs [replication techniques]

Bhide, A.;

Management of Replicated Data, 1992., Second Workshop on the , 12-13 Nov. 1992

Pages:51 - 54

[\[Abstract\]](#) [\[PDF Full-Text \(332 KB\)\]](#) IEEE CNF

2 Balanced high availability in layered distributed computing systems

Trinitis, C.; Walter, M.; Leberecht, M.;

Database and Expert Systems Applications, 2003. Proceedings. 14th International Workshop on , 1-5 Sept. 2003

Pages:713 - 717

[\[Abstract\]](#) [\[PDF Full-Text \(222 KB\)\]](#) IEEE CNF

3 The design of high availability in the Dawning server consolidation system

Mingyu Chen; Wen Gao; Wensheng Zhang; Lihui Wu;

High Performance Computing in the Asia-Pacific Region, 2000. Proceedings. The Fourth International Conference/Exhibition on , Volume: 1 , 14-17 May 2000

Pages:436 - 438 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(176 KB\)\]](#) IEEE CNF

4 LH*g: a high-availability scalable distributed data structure by record grouping

Litwin, W.; Risch, T.;

Knowledge and Data Engineering, IEEE Transactions on , Volume: 14 , Issue: 4 , July-Aug. 2002

Pages:923 - 927

[\[Abstract\]](#) [\[PDF Full-Text \(642 KB\)\]](#) IEEE JNL


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

+"high availability" scalability services

SEARCH

THE GUIDE TO COMPUTING LITERATURE

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [high availability](#) [scalability services](#)

Found 279 of 796,098

Sort results by

relevance

[Save results to a Binder](#)

 Try an [Advanced Search](#)

Display results

expanded form

[Search Tips](#)

 Try this search in [The Digital Library](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

 1 [Cluster-based scalable network services](#)

Armando Fox, Steven D. Gribble, Yatin Chawathe, Eric A. Brewer, Paul Gauthier

 October 1997 **ACM SIGOPS Operating Systems Review , Proceedings of the sixteenth ACM symposium on Operating systems principles**, Volume 31 Issue 5

 Full text available: [pdf\(2.42 MB\)](#)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

 2 [Optimizing data aggregation for cluster-based internet services](#)

Lingkun Chu, Hong Tang, Tao Yang, Kai Shen

 June 2003 **ACM SIGPLAN Notices , Proceedings of the ninth ACM SIGPLAN symposium on Principles and practice of parallel programming**, Volume 38 Issue 10

 Full text available: [pdf\(275.38 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Large-scale cluster-based Internet services often host partitioned datasets to provide incremental scalability. The aggregation of results produced from multiple partitions is a fundamental building block for the delivery of these services. This paper presents the design and implementation of a programming primitive -- Data Aggregation Call (DAC) -- to exploit partition parallelism for cluster-based Internet services. A DAC request specifies a local processing operator and a global reduction operation ...

Keywords: cluster-based network services, fault tolerance, load-adaptive tree formation, response time, scalable data aggregation, throughput

 3 [The AROUND architecture for dynamic location-based services](#)

Rui José, Adriano Moreira, Helena Rodrigues, Nigel Davies

 August 2003 **Mobile Networks and Applications**, Volume 8 Issue 4

 Full text available: [pdf\(194.30 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a generic concept of location-based service as an abstraction for supporting the association between computational resources and location. The objective is to extend the advantages of service-based architectures to the development of location-based systems, thus providing a more open and extensible alternative to the "vertical" approaches typically used in this type of system. The novel AROUND architecture is proposed as an approach for supporting location-based services in t ...

Keywords: info-mobility, location-based services, mobile computing, service discovery

 4 [A distributed persistent object store for scalable service](#)



NPL Virtual Library

Search

My List - 0 Help

[Main Search](#) | [Advanced Keyword Search](#) | [Search History](#)Search: Refine Search

You're searching: Scientific and Technical Information Center

Search Results

Sort by:
Limit by:

9 titles matched: "high availability"

1. High availability networking with Cisco / Vincent C. Jones.

by Jones, Vincent C., 1947-
Addison-Wesley, 2000.
Call No.: TK5105.5 .J66 2000

2. High availability cluster multi-processing for AIX : HANFS for AIX / IBM.

IBM, 1998.
Call No.: QA76.76.I59 H5 1998

3. High availability cluster multi-processing 4.1 for AIX : HANFS for AIX installation and administration guide / IBM.

IBM, 1995.
Call No.: QA76.76.I59 H56 1995

4. HANFS for AIX installation and administration guide : version 4.2.2.

IBM, 1997.
Call No.: QA76.76.I59 H55 1997

5. Advances in distributed systems : advanced distributed computing, from algorithms to systems / Sacha Krakowiak, Santosh Shrivastava, (eds.).

by Krakowiak, Sacha
Springer-Verlag, c2000.
Call No.: QA76.9.D5 A363 2000

6. Financial services information systems / editor, Jessica Keyes.

by Keyes, Jessica, 1950-

Web Images Groups News Froogle^{New!} more »

solaris package build

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 153,000 for **solaris package build**. (0.16 seconds)Creating Solaris Packages

... don't have to re-type the commands to **build the package** ... It's customized for every **package**. ... Most software doesn't require that the machine's **Solaris** revision be ...
www.ibiblio.org/pub/packages/solaris/sparc/html/creating.solaris.packages.html - 18k - [Cached](#) - [Similar pages](#)

How to make a Solaris package (pkg format)

... are now various other guides to make **Solaris packages** out there ... you probably want to look at larger **package building** ... do not have to be root to **build it**, because ...
www.bolthole.com/solaris/makeapackage.html - 5k - [Cached](#) - [Similar pages](#)

Solaris Package System How-To Guide

... The **Solaris Package System** ("solpkg") is a framework and repository of Makefile "recipes" that can be used to **build Solaris packages** out of software source ...
cvs.bertios.de/cgi-bin/viewcvs.cgi/solpkg/solpkg/DOC/solpkg_howto.html?rev=1.3 - 6k - [Cached](#) - [Similar pages](#)

Re: Solaris Package Addon

... > Regards, > Cory. > > - C. Omand - CA, USA ## **Build Solaris Packages** ##
Overridable Package Variables SPKG_PKGNAME ?= \$(GARNAME ...
mail.gnome.org/archives/garname-list/2003-August/msg00062.html - 10k - [Cached](#) - [Similar pages](#)

How to Build a Solaris Package - Printer Friendly - @ CIS @ Brown

How to **build a Solaris package** There are six steps in creating a **Solaris package**:
 1. Gather all the programs and files under one hierarchy 2. Create a prototype ...
www.brown.edu/Research/SysAdmins/unix/pf_solaris_package.html - 13k - [Cached](#) - [Similar pages](#)

System Administrators @ CIS @ Brown

Unix. How to **build a Solaris package**. (printer friendly version) There are six steps in creating a **Solaris package**: 1. Gather all the ...
www.brown.edu/Research/SysAdmins/unix/solaris_package.html - 22k - [Cached](#) - [Similar pages](#)

Mike Kruckenberg's Experiences and Observations: New Approach to ...

... May 08, 2003. New Approach to **Building Solaris Packages**. Have been carefully thinking about the process for **building Solaris packages** ...
mike.kruckenberg.com/archives/000089.html - 9k - [Cached](#) - [Similar pages](#)

netbsd-bugs: pkg/18953: bind8 package building fails under solaris ...

... Last-Modified: >Originator: pierre bourgin >Release: **solaris 5.7 sparc** ... Ultra-250
 >Description: problems that cancel the **build** process of the **package** bind-8.3 ...
mail-index.netbsd.org/netbsd-bugs/2002/11/06/0005.html - 7k - [Cached](#) - [Similar pages](#)

Build for Solaris Platform

... **Package. Build Solaris Packages**. % cd <SDK_HOME>/src/server/pkg % gnumake
Solaris packages will be created in <**Solaris**-(ARCH)-pkg>. Install. ...
www.openi18n.org/subgroups/im/iiimf/build/solaris.html - 4k - [Cached](#) - [Similar pages](#)

[Ethereal-dev] patches for make targets solaris-package and svr4 ...

... found." ; \ echo "**Package build** abandoned." ; \ fi ... svr4/mkpkg \ + \$(**PACKAGE**) \ +
 \$(**PACKAGE**)-\$(VERSION ... prefix) \ + \$(top_stagedir) **solaris-package**: svr4-

Sponsored Links

Package Design

Locate & Compare Consulting Firms.
 Post Your Project & Get Bids - Free
www.prosavvy.com

Package Design Firm

Let the Bailey Group team help you design a brand specific package.
www.baileygpp.com

MBC Design

Excellence in packaging design and branding since 1973.
packaging.mbcdesign.ca

Package Design

Find **Package** Design Options from Regional Suppliers - Find It Here!
www.ThomasRegional.com

Package & Logo Design

Media Services, Tools & Resources.
 Search Our Leading B2B Directory.
www.business.com

Package Design

Find professional **package** designers at Contracted Work
www.contractedwork.com

Packaging Graphics Co.

Retail product packaging design
 Affordable graphics over 20 years
www.packaginggraphics.net

Advertising & Design

20 years helping customers increase sales through smart solutions.
www.spicreative.com

[See your message here...](#)